

BIOPHILIA TRACKER TRAINING MANUAL

The Biophilia is not medical device, The system does not replace any medical examination. The system is not intended use in diagnosis.

BEFORE YOU START

Biophilia Biofeedback is a research modality which requires training to achieve accurate analysis, effective therapy and efficient overall use. It is your responsibility as the operator of the device to understand the software and if you have questions to reach out to us via email. It is not our responsibility at Biophilia biofeedback to monitor your progress. We are here to help you when you inquire.

GUIDE FOR BIOPHILIA MANUAL NAVIGATION

Best way to get started is to follow the instructions in the manual in order.

Beginning of the manual will take you through installation of software, customization of the first page.

Beginners should follow instructions of manual to begin with SCANNING, CREATING REPORTS AND ADMINISTERING THERAPIES. Once these functions have been practiced and implemented then move on to other features of the software.

Last part of this manual will take you through ALL software features and through helpful technical steps.

Key elements to achieve most accurate results outside of training

- 1. All scanning should be done prior to eating. Empty stomach is best, 4 hours before eating is desired, 2 hours before eating is ok.
- 2. Electronics should be put away during scans and therapies (i.e. cell phones, other computers, electronic watch, heavy jewelry, etc.)
- 3. Alcoholic and caffeinated drinks should not be consumed before scans
- 4. Do not create more than 1 card per person! Software will detect similarity in frequencies and may corrupt.
- 5. Do not cross legs or arms during scan. Laying down is okay as well as sitting up.
- 6. Do not have other large electronics in the room turned on during scans.

WELCOME TO BIOPHILIA TRACKER SOFTWARE

To open the software, double click on the Biophilia icon on your desktop



When software is opened click on START to get started



Other buttons on the opening page:

START – Opens software

CUSTOMISE – Allows for additional customization features

EXIT – Exits software

CUSTOMIZE PAGE



Customize page allows you to change the following features:

- 1. SPEED OF SCANS AND THERAPIES Change the speed to 0.5 by typing in 0.5 to replace 1.5. This will take the full body scans from 25 min to about 17 min.
- 2. MUTE SOUND Check or un-check the MUTE box to eliminate or add sound to scans.
- 3. COLOR OF SOFTWARE Allows for changing of software color and theme

When you make a change to any of these features, you must exit software to allow features to reset and open software again to see changes implemented.


CARD INDEX PAGE

The first page is called the CARD INDEX PAGE.


Customizing Card Index Page:

Once you are on the card index page, you will have options to customize the page to have your desired icons.

Customizations are the items referred to in the red box below:




A secret customization menu is found by clicking on the * next to DATE Time



CUSTOMIZING FEATURES EXPLAINED

Date time: When clicking on **DATE Time**, the software organizes the list of scans by date. There is yet another secret option for selecting one date at a time:



Click on the small arrow to the right of the word "Date Time" and you will see a drop down of all the different dates you have scanned on. This will only be visible after more than one scan has been done



Each of the sections above could be used to organize the list of scans by their section. If you click on the word "DATE TIME", all scans will be listed by date. If you click on the section marked "NAME", all the scans will be organized in alphabetical order, etc.

The recommended customizations are below, if you would like to add others please email us for explanations.

Pictures: Pictures activates photos of scanned areas. If Pictures is not activated before scanning, those scans will not have photos. Only after Pictures is activated will the photos show.

For those who have practices and plan to have many client scans, turn off Pictures in order to not slow down software with additional photo icons.

Name: Under name, organs are listed by name.

Active: Active features the function done on the organ or tissue (features explained later on)

M stands for Meta-Therapy S stand for Scan

V stands for Vegeto Test L stands for Localize

Energy: Energy represents the state of the organ's energy level (explained later in the manual)

Optimum Dispersion (OD): Shows cellular level function in numerical representation. Allows prioritizing of analysis sequence based on lowest OD of organs and tissues which mean disruption in cellular level function



OTHER FUNCTIONS ON THE CARD INDEX PAGE



Patient Information: Where patients/clients details are listed once a card file has been created for them

Search Box: Allows for searching of specific organ scans

New Card: Where to begin when creating a new patient/client and doing a scan for the first time.

Select Card: Where to find previously scanned patients/clients

						EXIT	
Enter text to searc	h		*	Find (Clear		
	FULL NAME	AGE		SEX	ADDRESS	РНОТО	
♦ DATE		57		MALE			a'i
DATE20 10月 22	Bob, T, Y, 1964/11/13,	3/					

Remove Card: Where to delete a selected card completely.

Present Analysis: Transitions to the LOCALIZE page which is also the in-between page between CARD INDEX page and ANALYSIS page (Can also be accessed by clicking on the image of the organ/tissue selected).

Exit: Where to exit the software

Research: Where to click when wanting to scan organs and tissues

COMPARATIVE ANALYSIS: Takes you to the page where all comparisons are done.

View Results: Additional features, printing and comparing

ENERGY LEVELS AND OD VALUE



Energy levels 1-3 are NORMAL HEALTH/ENERGY indicators

Energy level 4 indicates BEGINNING STAGE of potential illness/imbalance

Energy level 5 indicates a possible ACUTE problem/low energy

Energy level 6 indicates a CHRONIC imbalance/low energy


Energy levels are often misunderstood so it is important that you understand how energy levels can be affected and what to look for more closely.



Energy levels can be affected by many things: food, stress, caffeine, lack of nutrients, fresh air, etc. OD represents the organs state on the cellular level which is more stable, consistent and speaks to the inner health of the organ rather than only the outer state or highly fluctuating energy levels.

Color breakdown:







RED color means that within that organ you will find at least one energy level 5



PURPLE means that within that organ you will find at least one energy level 6

The darker the color the lower the energy level found in that organ/tissue

Since colors/energy levels can be changed with any outside influence, the OD is more reliable for overall analysis and focus of therapy.

OD values below 1.200 should be the priority focus.

OD values below 0.900, 0.700 etc. are of MOST priority and indicate areas of root cause. In this example, we have a high energy and low cellular level function. This means the energy in the organ is doing ok but within the cellular structure of the organ there are important imbalances.

We should check the Energy and OD value together:

If the OD value is over 1.200 and the Energy is high (Green), means this item is good, that you don't need to do advanced analysis

If the OD value is under 1.200 or the Enegy is low (Red, Purple), means that you need go to the analysis page to do advanced analysis (we suggest you can do Entropy analysis and NLS analysis)

QUICK GUIDE TO SCANNING, CREATING REPORT AND RUNNING THERAPIES FOR BEGINNERS

Before jumping into all the other features of the Biophilia software, each new user of Biophilia must learn to run scans, create a report and run therapies.

SCANS

The protocol for Biophilia use in training is designed to get you started right away on the MOST important functions of Biophilia which are scans, therapies and note building which is how the treatment protocol is created. Keep in mind that you must scan the organs/tissues you wish to work with each calendar day. If you ran a scan on October 23rd, you must run a scan on October 24th if you wish to work with any organs that day.

FULL BODY SCANS

FULL BODY SCANS are for the purpose of collecting all the findings of microorganisms and pathology in the body in order to identify the root causes and a focus for therapy. These scans should be done no more than every 6 weeks (longer if working on a chronic illness).


The idea is that you run a full body scan, create a report of all the findings and identify a focus for therapy over 6 weeks to 3 months' time. This time frame is practical because it takes time to shift the state of the organs and their frequencies with therapies, especially if there is chronic illness present and microorganism infection.

BEFORE FULL BODY SCANS


When you open the software for the first time you may see "DUMMY" files in the software which were used for software testing before the system was delivered to you. You may delete these cards in order to start fresh in the software.

DELETING UNWANTED FILES


From the Card Index Page, click **SELECT CARD**



On the SELECT CARD page, select the file you do not need by clicking on it:



What will bring you back to the CARD INDEX page and there click on REMOVE CARD




INSTRUCTIONS FOR FULL BODY SCANS

To begin, create a file card for yourself/client. On the CARD INDEX page, click on NEW CARD




Fill in the required information: Last Name, First Name, Date of Birth (by typing in month day and year) and Gender. The other information is optional. When finished, click **OK**


AGE will automatically fill in when you finish typing the date of birth. In each country this may change. In the USA type in month, day then year. In other places in the world, follow your typical date of birth format.



When you click **OK**, after inputting the information for the file card, you will be taken to the **ANEMNESIS** page. Here, click **PROCEED**. (Remember that your focus is to learn to scan first, these other pages will be explained later in your study).



PROCEED will take you to the RESEARCH PAGE.



Biophilia has three scan options, each with different amount of available organs/tissues for scans


EXPRESS: 103 available items to scan

NORMAL: 197 available items to scan


DETAILED: 230 available items to scan

SCI: 960 + available items to scan

The number reflecting each selected RESEARCH TYPE option will be reflected here:



For Full Body Scans (and all other functions for the most part) please make sure you have the **SCI** option selected. You can verify that the correct choice is selected by seeing the total above 900



For a FULL BODY SCAN, once you have the SCI, the MALE and FEMALE full body scans are pre-programmed for you. The number of items for MALE and FEMALE slightly vary due to the differences in reproductive organs, etc.

To select the full body scan:

Click MANUAL CHOICE and MALE/FEMALE (depending on who you are scanning)



You will see the appropriate number of scans auto populate for once you make the selection

SYSTEM ORDER 46:966/46

The SHOW PICTURES check box can be marked to show photos of organs/tissues available in the list next to their names

Once you have the MALE or FEMALE option selected you are ready to SCAN.

Make sure the headset is plugged into the Biophilia box if not already plugged in and worn on the person's head who will be scanned.

Click SCAN and the scan will begin.



These are the complete steps for full body scans.


FULL BODY scan does not mean you need to scan all the 966 items available in the scan.


This simply means you are scanning all the major organs and tissues in the body in order to have the most complete scan.


When the scan is complete, follow instructions to create the AUTOMATIC REPORT


ULTRA SCANS


Choose the ULTRA SCAN, you can use it to scan the microstructure and DNA of the organ.












SYSTEM SCANS

Once you have completed a **FULL BODY SCAN** and identified the body system which is the priority, you can begin giving therapies to the system. Therapies can be done daily but the key is that the entire system received therapies. Before a therapy can be given to the organs in the system, you must scan the system each calendar day. For example, if you ran a full body scan yesterday, today you must scan the system you want to treat in order to run therapies.

All scans are done on the RESEARCH page. From the CARD INDEX page, click RESEARCH



When you get to the RESEARCH PAGE, make sure that you have the SCI RESEARCH TYPE selected, this will ensure that you have all the available items ready for the scan.

You should see a total number of scans available over 900

47:978/47

Once you have the full list available (SCI), click MANUAL CHOICE, SYSTEM and the SYSTEM you need.




When you click on the appropriate system you will see the numbers change at the top

IF YOU WANT TO GET THE FULL 900+ LIST BACK, CLICK MANUAL CHOICE AND SYSTEM AGAIN AND THE LIST WILL RE-SET.

For the example, and because most people start with DIGESTION, I selected the DIGESTIVE SYSTEM. As you can see, the DIGESTIVE SYSTEM has a total of 37 items for scanning available. Where it says 4/37, it is telling us that only 4 of the 37 items have been selected.


Click ALL and all 37 out of 37 items will get a check mark and be marked for scanning.

When all 37 items have a check mark, you are ready to RESEARCH.



Click RESEARCH

Each system will vary in number of items. Each item must be scanned before therapy can be given.



PROTECTIVE META THERAPY

Therapies should always be given after a scan is complete. If you want to treat the DIGESTIVE system for example, you must first perform a DIGESTIVE SYSTEM SCAN.

Therapies are best given on the RESEARCH page following a scan.

SYSTEM THERAPIES

System therapies are the most effective in turning around health challenges/imbalances. These can be done daily and for best results, no less than 3 times a week.

To give a system scan, first scan the system and then give each organ in the system 5 therapies.

The amount of therapies offered per organ are either 1 or 5. The arrow next to the word **META-CORRECTION** is where you choose to give either 1 therapy or 5 to each selected item.



For adults, give 5 therapies to each selected item/organ scanned.


For infants, 1 therapy to each selected item is a good place to start.

THERAPIES FOR PAIN/DISCOMFORT/SYMPTOMS

Biophilia is great at addressing pain and other symptoms. Symptoms are all things that do not include a root cause. Depression, back pain, joint pain, skin problems, headaches, inability to sleep, constant need to urinate, etc. When you want to address symptoms all you must do is scan the appropriate items/organs and give them therapies.

For depression, the appropriate items to scan are brain items.

On the research page, in the search box at the bottom, type in "BRAIN" you will see available brain items come up. Click NEXT to see all that are available. Check mark them for a scan.



After selecting the areas you need, scan and give the rapies.

FOR SYMPTOM RELATED ITEMS, YOU CAN GIVE UP TO 5X5 THERAPIES. In the body systems we give 1x5 therapies but for symptoms, pain, etc. you can give a "BLAST" therapy which is what we call an intense therapy which is great for symptom relief.

5x5 therapies means that you can run through the 5 therapies on each organ 5 times.

Each symptom has to have appropriate items scanned; some examples are below:

Skin problems: search for "skin" and check mark to scan all the available items

Mental health: search for "brain" and check mark to scan all the available items

Joint pain: search "joint" and check mark all available items for scan

Wherever the symptom is located, scan the location and give that area a BLAST therapy.

DESTRUCTIVE THERAPY


Destructive therapy consists of Dr. Rife frequencies. This is a therapy to use on microorganisms found in the body. Where Protective therapy treats organs and their ailments, destructive therapy specifically targets the parasites, bacteria, viruses, fungus, etc.

Please DO NOT administer destructive therapy daily. Three times a week is a good amount of destructive therapy to yield results while also implementing protective therapy


more often.

1. To begin, look at your report to see where microorganisms were found in the body.

The best report to find microorganisms quickly is either the ADVANCED PAGE REPORT or REPORT 2. ADVANCED PAGE REPORT shows photos of the microbes so they are easy to spot.



ADVANCED PAGE REPORT



The report will tell you in which organ the microorganism found for you to make your way over to that organ and scan the microbes for therapy.

STOMACH BACK
PANCREODUODENAL

0.128

ZONE

REPORT 2

Report 2 has the same information but over many pages so maybe not quite as easy to find.

E # MICROORGANISMS AND HELMINTHS ENTAMOEBA GINGIVALIS 0.195 HELICOBACTER PYLORI STOMACH BACK

Few things to know about DESTRUCTIVE THERAPY:

HELICOBACTER PYLORI

LACTOBACILLUS ACIDOPHILUS

The coefficient of the microorganism is important to note because over time, as the therapy is given and microorganism is destroyed, the coefficients will get higher or completely gone from the list. This indicates improvement.

DO NOT over destruct. 1x5 therapies for microorganisms 3 times a week is plenty. People who over destruct microorganisms experience detox reactions such as urinary tract infection and headaches.

38

PANCREODUODENAL ZONE


When destroying a microorganism, the therapy destroys the microorganism anywhere in the body it may be. If you see that the same microbe is in more than one place, you DO NOT have to scan the microbe in each found area. Scanning it and treating it once will take care of the microbes throughout the body.

2. When microorganism is identified in the notes, find the organ which contains the microbe and scan

Remember that each calendar day, the organs must be scanned prior to giving therapies or analyzing the organ. Since we need the organ scanned for the microbes, make sure to scan the organ first, then look for the microbe there.

For example: Reports show that **HELICOBACTER PYLORI** (also known as H. Pylori) is found in the **STOMACH BACK**.


So, from the CARD INDEX PAGE, I must select the scanned STOMACH BACK




Remember that the organ must be scanned this calendar day to be utilized.

3. Scan the microorganism in the organ

From the CARD INDEX PAGE, when the correct organ is found (STOMACH BACK in this case), click on the organ to highlight it, then click on the photo of the organ. Clicking anywhere on the organ image will move you forward.




On the next page, click on the image of the graph to move forward




On the next page, the ANALYSIS PAGE, check mark the MICROORGANISMS ETALON

You will see H. Pylori there AS WELL AS LACTOBACILLUS, which is also in our notes but in another organ. This is great because we can scan both from one page and not have to go back to the other organ to find LACTOBACCILUS



Before therapy can be given, the microorganisms must be scanned.

To scan both, click and drag your computer mouse to highlight both microbes. If you have trouble highlighting both, follow the steps for one at a time.




Once you have the microbes highlighted, click on the photo of the microbe.

This will take the microbes to the RESEARCH PAGE, where they can be scanned and treated.


Here you can see the microbes added to your list for scanning




Click RESEARCH



When the scan is complete, you will see both microbes marked with a color dot






Now that you have the microbes scanned you can give them therapy.


Biophilia software will know to give microorganism **DESTRUCTIVE** therapy and organs **PROTECTIVE** therapy. This means that you can run a **SYSTEM RESEARCH**, scan the microbes needed and give therapy to organs and microorganisms at the same time.

If you forget to scan and click Meta-Correction, software will RESEARCH first and give therapy right after.



P - Protective

You can see during **DESTRUCTIVE** therapy there is a "D" and **PROTECTIVE** therapy there is a "P"




D - Destructive

DELETING META THERAPIES

When you begin running daily therapies, you will see a buildup of therapies in your card. Therapies are marked with an "M" while the original scans of organs are marked with an "S".

The original scans you should keep, but the meta-therapies you should delete as they are not needed and only collect in the list to keep track of what was done.


If you keep the list organized and delete the therapies after each day of completed treatment, the software will work fast, and will be easier to compare results later.



To delete therapies and NOTHING else, make sure to follow the steps in order:

1st, click on ACTIVE. ACTIVE will organize the list to have all the scans together, therapies together, etc.

Now that you have all the RESEARCHS and META THERAPIES together, you can select the therapies and delete them:




Click on the first therapy you see


Scroll down until you see the last Meta Therapy in the list

Hold the SHIFT button on your computer and click again on the last Meta Therapy you see

You should see all the therapies highlighted (can scroll up and down to make sure the scans are not highlighted otherwise they will be deleted also.




When you have ONLY Meta Therapies highlighted, click on the "delete" button on your computer keyboard. You will see a box to confirm the deletion, click **OK**




Now you should have all the Meta Therapies deleted.

Another way to delete M's or V's from the list and keep the original scans "S", is to utilize a secret drop down menu next to the ACTIVE



Check mark the "Meta-therapia" and "Vegeto test" boxes and you will see ONLY the "M" for therapy and "V" for Vegeto tests.


This will ensure that you do not delete any original scans but only the therapies and Vegeto tests



DESTRUCTIVE THERAPY


Deleting individual days is helpful when you are running therapies daily. As you scan and give therapy, you will see the list build up quickly and that will make it harder to compare results and find the scans you need. If you run daily scans, we recommend that you keep scans from one or two days a week rather than every day. This will give you enough data to track progress and keep the list clean and organized.


To delete scans by date, first isolate the date you would like to delete:



Click on the secret menu next to the word **DATE** and select the date you want to delete







You will know what the date is selected when you see the date at the bottom

If one date is shown, you can confidently highlight EVERYTHING in the list and delete. (Same steps as above, highlight, SHIFT, highlight again and delete).

When the date is deleted properly, it will be blank and you will no longer see it in the secret date menu.

COMPARING RESULTS

After 6 weeks of consistent therapy on the body system, which was the priority, you can compare the health of the organs in that system to see if there was improvement. What is MOST important when looking for improvement, are the OD values. In this example, the specific item being compared is the TEETH; Right.

You do NOT have to compare the individual organs this way however, it is important that you understand how to look for improvements.


On the CARD INDEX page, choose one of the organs you have been consistently giving therapy to: if you are giving therapy to an entire system, any item with a OD below 1.200 can be selected for this.

* DATE	▼ TIME	PICTURES	NAME	ACTIVE	SYSTEM ENERGY	OPTIMUM DISPERSION	F-level
2019/12/20	13:11:56		TEETH; right	S	7 =	1.046	65.%
2019/12/20	13:12:11		TEETh; left META-therapy:1	M	7 =	0.96	0 %
2019/12/20	13:12:12		TEETH; left META-therapy:2	M	7 =	0.96	0 %
2019/12/20	13:12:13		TEETH; left META-therapy:3	M	7 =	0.96	0 %
2019/12/20	13:12:13		TEETH; left META-therapy:4	M	7 =	0.96	0 %
2019/12/20	13:12:14		TEETH; left META-therapy:S	M	7 =	0.96	0%
2019/12/20	13:13:47	31	HELIOBACTER P/LORI	S		0.427	26 %
2019/12/20	13:14:03	DE	LACTOBACILLUS ACIDOPHILUS	S		0.427	20 %
2019/12/20	13:14:13	Dir.	LACTOBACILLUS ACIDOPHILUS META-therapy: 1	M		0.427	14 %
2019/12/20	13:14:20	25	LACTOBACILLUS ACIDOPHILUS META-therapy;2	M		0.427	14 %
2019/12/20 507 of 891	13:14:27	200	LACTOBACILLUS ACIDOPHILUS META-therapy:3	M	(<u>*</u>	0.427	11 %


Once you have an item selected, type in its name (exactly as in software) into the SEARCH BOX



You should see nothing in the list except the scans of the organ/item you are looking for.



When you have nothing but the name of the organ up, click on **DATE** to organize the scans from oldest date to newest (if it is not automatically organized this way). Now look at the **OD** numbers



The goal is to see OD get higher in number over time. You do not want to worry about OD from day to day or even week to week. What you are looking for is a change in OD over 6 weeks to a few months.

Here the comparison is over a few days and the OD has gone up slightly.

OD on 12/20 is 1.046

OD on 12/31 is 1.076


OD movement does not always have to be up. If there is detox happening the OD's may get lower before they get higher and completely balanced (above 1.200).

When you are scanning, keep 1 scan per week and delete the others in order to be able to compare week to week and save space on the computer.

ALL Biophilia FEATURES EXPLAINED


Starting with what was not covered on the CARD INDEX page and onward, software features and pages will be explained. When you start with the scan, report building and therapies; you have already learned the most important features of Biophilia Tracker. Some features described are automatically done for you so you do not need to manually run those features. However, for your knowledge and expert use of Biophilia Tracker the descriptions are there for you.

VIEW RESULTS PAGE



VIEW RESULTS PAGE





EXIT – Exit takes you back to Card Index page

ANALYSIS – Analysis takes you to the Localize page

NOTES – Notes takes you to the notes page

PRINT 1 – AUTOMATICALLY PRINTS pages of organ photos

PRINT 2 - Same as the PRINT option but allows for saving to computer and emailing




ENERGY - Indicates energy level reading.


OPTIMUM DISPERSION – OD value


E-LEVEL – Energy level represented in percentage

COMPARATIVE ANALYSIS PAGE



Comparative Analysis is the page where scans, results of comparisons and other kinds of scans can be compared. Comparative Analysis page.





What is great about the Comparative Analysis page is that you can compare results of all kinds of tests.


For example, above you can see the reaction of a one-time therapy on H. Pylori.



When comparing scans to see results of **DESTRUCTIVE** therapies (which are therapies done on the microorganisms) you should always see a weakening reaction. **WEAKENING REACTION** means that the microorganism is being successfully destroyed.

To get the correct result, you must make sure you are comparing the correct information






And **HIGHLIGHT** compare)



(By clicking on) the last therapy (or what you would like to




You can see this done correctly here: "S" has a check mark and "M" no check mark

You can compare day to day scans, results of therapies, and results of other performed tests.

You should always check mark the ORIGINAL SCAN (the oldest scan available) and highlight the newest scan available to see how an organ has improved over time. In the example below, the APPENDIX on 19/11 is checked, and the APPENDIX from 22/11 is

highlighted (NO CHECK)




The checked item is on the left (APPENDIX 19/11) and the item being compared which is highlighted is on the right (APPENDIX 22/11)

When you compare correctly you will see the correct results.

It is important that if comparing for the sake of results, you give yourself 4-6 weeks of therapy in order to SEE results. It is NOT practical to see a big change within a few days (as used in the example). Results can happen quickly but follow the 4-6-week suggestion before comparing and expecting to see changes.


Other features on the Comparative Analysis Page

SECRET MENU: If you hold the "ctrl" (control) key on your key board and click "F" you will see a search box pop up.



The secret customize menu is also here (just like the one on the card index page).

When you compare organs or other tests, you will see an **IMPROVEMENT** and **WORSENING** option on the right. When you click on one of those buttons you will see shapes blinking in the pictures to show where exactly the improvement of energy was and, where the energy was not improved.




EXIT - To exit back to CARD INDEX page

TO REPORT – To add the strengthening or weakening reaction to notes

AUTO RESEARCH – Will automatically pick two things to compare (this is not always recommended because it is up to the user to compare the correct information).

INTERACTIVE ANEMNESIS PAGE

INTERACTIVE ANEMNESIS page you will only see once when creating a new file card.




You can manually access this page from the RESEARCH PAGE (see below):



This page allows for inputting of patient complaints and therefore organizing the scanning list automatically to comply with the listed complaints and previous diagnosis. This is not recommended as in the software we have already pre-programmed full body scans for our users in order to have the most complete information.

However, if you would like to use this list of complaints and diagnosis, this is primarily for note taking and for your reference.



In order to check mark the appropriate areas of complaints and diagnosis, click on a **red** dot closest to the problem area of the patient and check mark the **most relevant** complaint or previously diagnosed item list. Each red dot will open different options for recorded complaints and diagnosis.

Other buttons on this page of information and helpful pages:

ANEMNES – Complaints and diagnosis for notes

IRIS - Shows images of eye characteristics connected to health conditions

FACE - Shows facial characteristics connected to health conditions


BLOOD - Descriptions of blood types and their influence on lifestyle and overall health

BIBLE - Uplifting scriptures related to healing


PROCEED – Takes you to the RESEARCH page

RETURNING CLIENTS

To scan a returning patient, click on Select card and choose the patient card.




Make sure that you do not have more the one card per person. Use the same card file for yourself and people you scan each visit/day.




Once you find the card you are looking for, click on it and you should see the correct card on the CARD INDEX page. Once you have the card you need, you will always need to run a scan in order to work with therapies, remedies or anything else. All scans are done on the RESEARCH PAGE.

RESEARCH PAGE



RESEARCH PAGE



- MANUAL CHOICE Options for selecting pre-programmed scan options and organizing scan list.
- 2. **AUTO META-THERAPY** AUTOMATIC Therapy. Will give therapy to all scanned and selected organs immediately after clicking.

3. **4D-Torsion Scan** – Activates photos of organs and tissues next to their name.


✓ 4D-TORSION SCAN

4. **PICTURES** – Activates 3D image. Can be activated or deactivated based on preference of Biophilia GOLD users.



- 5. RESEARCH TYPE Brings more or less organs up for scanning.
- 6. **RESEARCH** Begins scan when desired organs for scanning have been selected.
- 7. CARD INDEX Takes us back to CARD INDEX Page.
- 8. INTERACTIVE ANEMNESIS Takes you to the INTERACTIVE ANEMNESIS page.

- 9. ANEMNESIS AND DIAGNOSIS Lists of selected complaints and diagnosis from INTERACTIVE ANEMNESIS page.
- 10. **SEARCH BOX** Allows for quick finding of organs and tissues. Type in the organ or tissue you are looking for and click next to see all the found items.




The list of organs is organized in system order. Starting from the top, the general cross sections are listed in the blue color. These are combinations of organs and give combination frequencies. These are good for therapy but not the best to use for analysis. Scanning individual organs and tissues is always best for finding detailed and accurate information.

70

SET UP: PRE-PROGRAMING SCANS

On the Research page, you are able to create customized scanning lists.



MANUAL CHOICE AND SET UP:

Male and Female scans have been pre-programmed for you. However, you have 8 other options available for customization.


You may rename and create custom scans by clicking MANUAL CHOICE and SET UP


Please see instructions below:

1. Click on MANUAL CHOICE

2. Toward the bottom, click SET UP (you will see the SET UP page open)

3. SET UP PAGE:





4. Select one of the available numbered options and rename it as needed (for this example I will be creating a custom scan for mental health concerns/disorders. Click on the number and then click **RENAME**. When clicking on a number to rename, you will notice some of the check marks un-check. Allow this to happen. To add desired items to your list, find the items, highlight and click **MARK SELECTED**. To turn on **IMAGES**, check **MULTILINE**



You can click, hold and drag the computer mouse to highlight the items you want to add to the pre-programmed scan and then click **MARK SELECTED** to check mark them and add them to your list. The number of items you add total will be shown here



14 (965) man, 14 (929) woman, 14 (987) all

MANUAL CHOICE

4D-TORSION SCAN

CASE 01

CASE 02

Mental Health

CASE 04

11 is the number of items which were added to the preprogrammed scan for **MENTAL HEALTH**. When you finish, you can exit back to the RESEARCH page and you will see the new created scan under **MANUAL CHOICE**

You can see the total number of items in the **MENTAL HEALTH** scan, which we just created, is 11.

You may create up to 8 pre-selected scans. Remember that you do not need to make system scans since those are already available

OTHER MANUAL CHOICE OPTIONS

AUTOMATIC CHOICE - Selects about 30 items for quick scan

ALL - Will check mark all items in the list

DESELECT – Will UN-check all items in the list

SYSTEM – Allows to select a single system for scan/therapy






MANUAL ANALYSIS

Manual Analysis means that instead of allowing software to do the work for you, in terms of creating a report of all the findings, you want to do the work yourself by hand. It was just until recently that we have the option to have the report automated, before that, all analysis had to be done by hand for each and every organ.

Manual Analysis is most helpful when you need to run a cancer screening test, dealing with an illness or health concerns which is more complex, OR if you simple want to learn how to operate the software by hand and take time to investigate beyond the immediate


concerns.




When choosing where to start analysis, start with organizing the scans by lowest OD. To do this, click on the word OD and the numbers will be in order.




Once the OD values are organized lowest to highest, begin analysis by selecting the organ marked with the lowest OD value. Click on the name of the organ, then click on the photo of the organ to move forward in the software. We need to make our way to the ANALYSIS PAGE.



The next page you will see is this LOCALIZE PAGE, we need to move past it to get to the ANALYSIS PAGE, so here, click on the graph.



ANALYSIS PAGE




When analyzing organs on your own, follow the next steps:

1. Start by choosing the ETALON MICROORGANSISM AND HELMINTHS.

We will always run manual analysis on microorganisms and pathology only. All other ETALONS will be described for individual use later in the manual. We start with microorganisms because many health concerns and imbalances in the body are caused by the presence of parasites, bacteria, viruses, candida, etc. When we address these infections first, many health concerns are balance out.


/		L
	A # ORGANOPREPARAT	1
	B # BIOCHEMICAL HOMEOSTASIS	
	C # PATHOLOGY	
	D # ALLERGENS	
	E # MICROORGANISMS AND HELMINTHS	
	F # ALLOPATHY	
	G # HOMEOPATHY	
	H # PHYTOTHERAPY	
	I # NUTRICEVTICS AND PARAPHARMACEUTICALS	
	J # FOOD	
	K # LITHOTHERAPY	
	L # TRACE ELEMENTS	
	M # THERAPEUTIC COSMETOLOGY	
	N # BACH FLOWERS	
	P # PHYSIOTHERAPY	
	S7 SAHASRARA meridians : VC + VG	
	S6 AJNA meridians : MC + TR	
	S5 VISHUDHA meridians : P + GI + Sk + Sd	
	S4 ANAHATA meridians : C + IG	
	S3 MANIPURA meridians : F + VB + Fd + Ad	
	S2 SVADHISTANA meridians : R + V + ALL + Ly	
	S1 MULADHARA meridians : RP + E	

After selecting MICROROGANISMS AND HELMINTHS ETALON, you will see a list



2. Click ADJUST ALL

The initial list which the system shows, is a list of all the microorganisms with similarities in frequency. This means that the frequency of the PARANASAL SINUSES (which we are analyzing) is similar to the items shown in the list. **ADJUST ALL**, filters this list to increase accuracy.



You will know that the list has been **ADJUSTED** to further accuracy when the coefficients (numbers next to the microorganism names, are highlighted in black.

BEFORE ADJUST ALL

0	0.000	PARANASAL SINUSES; right view
0	0.983	OPTIMUM DISTRIBUTION
X 0		Virtual model
0	0.250	RHINOVIRUSES
0	0.397	STAPHYLOCOCCUS AUREUS
0	0.471	BRANHAMELLA (NEISSERIA)
0	0.494	ASPERGILLUS FUMIGATUS
0	0.511	PENICILLIUM FREQUENTANS
0	0.516	MUCOR RACEMOSUS
0	0.534	PENICILLIUM CHRYSOGENUM
0	0.554	CANDIDA PARAPSILOSIS
0	0.559	CANDIDA ROBUSTA
0	0.565	ASPERGILLUS NIGER
0	0.567	AQUASPIRILLUM SERPENS
0	0.585	ACTINOMYCES ISRAELII
0	0.613	PENICILLIUM ROQUEFORTI
0	0.628	PENICILLIUM CAMEMBERTI
0	0.644	CANDIDA CRYPTOCOCCUS NEOFORMANS
0	0.645	SACCHAROMYCES

AFTER ADJUST ALL

0	0.000	PARANASAL SINUSES; right view
0	0.983	OPTIMUM DISTRIBUTION
× 0		Virtual model
0	0.240	RHINOVIRUSES
0	0.395	STAPHYLOCOCCUS AUREUS
0	0.403	BRANHAMELLA (NEISSERIA)
0	0.450	PENICILLIUM FREQUENTANS
0	0.456	ASPERGILLUS FUMIGATUS
0	0.492	BACILLUS CEREUS
0	0.494	MUCOR RACEMOSUS
0	0.506	HAEMOPHILUS INFLUENZAE
0	0.507	ASPERGILLUS NIGER
0	0.532	PENICILLIUM CHRYSOGENUM
0	0.534	ACTINOMYCES ISRAELII
0	0.549	CANDIDA ROBUSTA
0	0.554	CANDIDA PARAPSILOSIS
0	0.567	AQUASPIRILLUM SERPENS
0	0.583	PENICILLIUM ROQUEFORTI
0	0.592	NOCARDIA ASTEROIDES

If you click on ADJUSTMENT instead of ADJUST ALL, only an individual microorganism coefficient will be adjusted. This does not allow for perspective so make sure to click ADJUST ALL




Clicking on ADJUST ALL is the second step in the manual analysis process

3. VEGETO TEST INTERNAL

When you have a list up from a specific ETALON (in this case MICROROGANISMS), to be absolutely sure of whether or not this microorganism is causing a health imbalance in the organ, we must run a VEGETO TEST. When you use the AUTOMATIC REPORT to collect all the found microorganisms and pathologies, this is done for you. When you do analysis manually (by hand on individual organs) you must run VEGETO TESTS.


Select the first microorganism in the list, make sure the Biophilia headset is worn, click V-TEST INTERNAL. As soon as you click on V-TEST INTERNAL a scan will begin.



Only COEFFICIENTS below 1.200 are relevant to the person (unless a cancer coefficient) and the coefficients below 0.500 are of the most priority. Items marked in red simply mean you should look at them first BECAUSE they are the lowest coefficients in the list.

V - TEST INTERNAL – means we are testing form the internal database of ETALONS V – TEST EXTERNAL – means we are testing using the external cup (provided in the package, will be discussed later.

V-TEST INTERNAL scan will be quick and look like this: (MAKE SURE HEADSET IS WORN DURING V-TEST INTERNAL)



The name of the item tested is in the bottom left corner. The **VEGETO TEST** takes the frequency of the scanned **PARANASAL SINUSES** and the frequency of the selected microorganism to run a test to see if the microorganism is affecting the organ negatively.

If the reaction is STRENGTHENING then the microorganisms is NOT affecting the organ negatively and therefore is NOT there and the finding is DENIED.

If the reaction is **WEAKENING** then the microorganism **IS** affecting the organ negatively and therefore the finding is **CONFIRMED**.


Yes, even **LACTOBACILLIUS** can be bad for the organ if there is an overgrowth of the good bacteria.

When the test is finished, you will be back on the ANALYSIS page as before.

To see the result of the VEGETO TEST (V-TEST INTERNAL) we must go to the COMPARATIVE ANALYSIS PAGE, if you remember from previous sections, COMPARATIVE ANALYSIS is the page where we compare scans, findings, therapies, etc.

4. COMPARATIVE ANALYSIS


After the V - TEST INTERNAL scan, make your way to the COMPARATIVE ANALYSIS page



When you come to the COMPARATIVE ANALYSIS page right after the VEGETO TEST scan, the comparison will be done for you and all you need to do is look for the WEAKENING or STRENGTHENING reaction



You can see that the comparison is done correctly because the original scan, marked with an "S" is check marked, while the Vegeto test marked with a "V" is highlighted. Also, at the bottom the images are showing with and without the tested microorganisms. The image on the left is the original scan of the organ and the image on the right is the image of the organ with the microorganism scan.




The result is **WEAKENING COMPENSATORY REACTION 52%**. This means that the organ will continue to struggle and get worse over time if nothing is done about the overgrowth of **RHINOVIRUSES** microorganism. This VEGETO TEST result confirms the finding on the ANALYSIS page that **RHINOVIRUSES** is indeed present in the organ and affecting the organ negatively.


PARANASAL SINUSES; right view RHINOVIRUSES

WEAKENING COMPENSATORY REACTION 52%


When doing analysis on your own by hand you must create your own report. The finding of LACTOBACILLUS must be added to the reports manually.




Adding the weakening reaction to the reports is not the information we need. Weakening simply means that the microbe is confirmed and present and affecting the organ negatively. What we need to add to our reports is the COEFFICIENT of the microbe so we have some concrete data to compare to later on as we work on this with therapy. You may add the weakening reaction to your notes, but most importantly add the coefficient from the **ANALYSIS** page:




ON the ANALYSIS page, click on the microbe and click SAVE TO REPORT



You can confirm that the notes have been added correctly by clicking on **VIEW REPORT** to see them there:



You can see that the weakening reaction has been added but the clearest information came from the note saving on the ANALYSIS page NOT the COMPARATIVE ANALYSIS page.



You must be careful with adding reports from the **COMPARATIVE ANALYSIS** page because they are misleading.

The weakening reaction is correct, but the **COEFFICIENT** is NOT of the microorganism but rather the NEW OD of the VEGETO TEST.



The accurate COEFFICIENT of the microorganism which you will need to collect for future comparisons and improvement tracking, is the COEFFIICENT of the actual microorganism which is added correctly from the COMPARATIVE ANALYSIS page.

All this to say that if adding notes from the COMPARATIVE ANALYSIS page, make sure you ALSO add the note from the ANALYSIS page

When finished with the **V – TEST INTERNAL**, follow steps 1-4 for the **PATHOLOGY** ETALON.


Vegeto test the top 5 lowest coefficients in the list and **ONLY** add the **WEAKENING** ones to your notes. Strengthening reactions mean the problem is not there so it does not need to be in your notes.

When finished with the organ, exit to the CARD INDEX page and select the next one in the list and follow same steps 1-4 on the MICROROGANISMS AND PATHOLOGY ETALONS.

CANCER SCREENING

When you want to screen for frequency imbalances pertaining to cancer, this is where the MANUAL ANALYSIS should be implemented.

For Women breast cancer screening should be done on this specific item



Scan this picture (both sides), after scan go back to the CARD INDEX page and analyze manually after scan, following steps 1-4


For any kind of cancer screening, scan the appropriate organs: Examples below

Prostate cancer screening – scan the prostate


Liver cancer screening – scan the liver

Colon cancer screening – scan the colon


Cancer will be listed under pathology: Sometimes in medical terms and sometimes the word "Cancer". Vegeto Test (V-TEST INTERNAL) the cancer related items in the pathology list. Up to 1.800 COEFFICIENTS. IF there is a WEAKENING reaction, cancer imbalance is confirmed on the cellular level. The lower the Coefficient, the more developed.



OTHER FEATURES OF ANALYSIS PAGE



OPTIMUM DISTRIBUTION – This is the **OD** of the organ selected for analysis



ETALONS – 10,000 + ETALONS for analysis

CLEAR – Clears the ETALON list

A + Enlarges the font of ETALON


A - Makes the font smaller in ETALONS

ETALONS

Biophilia ETALONS extend to thousands. We always begin training and focus on **PATHOLOGY AND MICORROGANISMS** in order to get things going and to identify root causes. If you begin your journey searching other ETALONS, you are focusing on 'Symptoms' and may not see improvement.

For example: If you care more about finding the **ALLERGENS** and **FOOD** intolerances, you are not going to find out WHY someone has an allergy or a food intolerance because you are only looking at **SYMPTOMS**.

However, after getting MICROROGANISMS and PATHOLOGY under control you can look into other aspects using the available ETALONS.



The most important part of understanding **ETALONS** is understanding which are **NEGATIVE** and which are **POSITIVE**.

INITIAL LIST OF ETALONS:

ORGANOPREPARAT – List of NEEDED frequencies which can be used for REMEDY PREPARATION.

BIOCHEMICAL HOMEOSTASIS – List of hormones, vitamins, chemicals OUT OF BALANCE

PATHOLOGY – List of diseases

ALLERGENS – List of allergens

POSITIVE (Don't Invert)

NEGATIVE (Invert)

Ì	A # ORGANOPREPARAT	ı
	B # BIOCHEMICAL HOMEOSTASIS	ı
	C # PATHOLOGY	١
	D # ALLERGENS	١
	E # MICROORGANISMS AND HELMINTHS	l
	F # ALLOPATHY	١
	G # HOMEOPATHY	١
	H # PHYTOTHERAPY	ı
	I # NUTRICEVTICS AND PARAPHARMACEUTICALS	ı
	J # FOOD	١
	K # LITHOTHERAPY	ı
	L # TRACE ELEMENTS	ı
	M # THERAPEUTIC COSMETOLOGY	١
	P # PHYSIOTHERAPY	ı

MICROROGANISMS AND HELMINTHS – List of viruses, bacteria, parasites, candida, etc.

ALLOPATHY – List of allopathic medicine

HOMEOPATHY – List of Homeopathic remedies

PHYTOTHERAPY – List of therapeutic plants for therapies

NUTRICEVTICS AND PARAPHATMACEUTICALS – List of pharmaceutical medicine

FOOD – List of recommended foods

LITHOTHERAPY – List of therapeutic stones for therapy

TRACE ELEMENTS – List of heavy metals

THERAPEUTIC COSMETOLOGY – List of therapeutic cosmetology items


PHYSIOTHERAPY - Physiotherapy

The important point here is that if a ETALON is described or lists positive things such as medicines, therapies, food recommendations, etc. these ETALONS are considered POSITIVE which means that if they are used to make REMEDIES, they do NOT need to be inverted (more on this in REMEDY PREPARATION) section.


If a ETALON you select does not come with a list, click on **SHOW ALL** (NEVER CLICK SHOW ALL FOR PATHOLOGY OR MICROROGANISMS).

Other ETALONS, such as VITAMIN INDICATOR MINERALS INDICATORS EFA'S INDICATORS TOXINS INDICATORS MICROBIOLOGY INDICATORS

And others are showing imbalances and what is needed and lacking. The same principal of looking only at the coefficients below 0.500 should be followed when looking at ANY ETALON.




EXTENDED ETALONS



Apply common sense to ETALON names when thinking of them as POSITIVE or NEGATIVE.

When expanding a ETALON section (click on the small +)



When reading ETALONS, think about what it describes and what it contains.

Example: Brain Disorder Table

Brain disorders are NOT something good, helpful or preferred by people. Therefore, the ETALON is considered NEGATIVE.


Bach flowers are a good therapeutic approach to health, therefore this **ETALON** is **POSITIVE.**BACH FLOWERS

ETALONS NOT TO VEGETO TEST

When you are using other ETALONS, some are not appropriate to VEGETO TEST (V-TEST INTERNAL).

ORGANOPREPORAT ETALON does not need to be Vegeto tested because it is similar to a therapy. Any therapy ETALON does not need to be Vegeto tested.

Food ETALON does not need to be Vegeto tested because it lists only recommendations of foods



When looking at the various ETALONS, please ask clarifying questions when needed.

SCANNING APPROPRIATE ORGANS/ITEMS FOR EACH ETALON

Each ETALON should be used in the appropriate organ scan. Here are some examples

TRACE ELEMENTS – Trace elements are heavy metals, when you click on the ETALON and see that each heavy metal is found in "hair" you must take that as a hint to look for heavy metals in a hair scan. Scan HAIR CUTICLE in the RESEARCH page.

BIOCHEMICAL HOMEOSTASIS – Biochemical are things like hormones, vitamins, chemicals, etc. The best place to get a correct reading for these things is in the blood. When looking into the BIOCHEMICAL HOMEOSTASIS ETALON, make sure to use a "Blood Cells" scan.

OTHER ETALONS – There is a variety of ETALONS in the extended ETALON page, it is not expected that you will know how to use each and every one but this is also a good part of your training.

V – TEST EXTERNAL

V- TEST EXTERNAL allows you to test external items in the cup provided in your package.

V – TEST EXTERNAL function is found on the ANALYSIS page and is best used on an empty stomach before any medication. What you can do is place a recommended dose of a supplement directly into the cup and test to see if the supplement is a good fit for the person.


The results are most accurate before food or medication intake.

Before running a test, you must choose and scan the appropriate organ for the supplement you are testing. If you are testing a Thyroid medication, make sure you select the Thyroid for the test, etc. In the example below I am randomly testing a Calcium supplement on an organ which is NOT the most appropriate so please make sure you learn the process but use more appropriate organs for the tests.

Keep in mind that all supplement brands vary slightly in their ingredients and preservatives.

A Calcium supplement from one company may have completely different ingredients then other brands so when running the tests on people know that each person will react differently to the same supplement.

- 1. Select the appropriate organ for the supplement to be tested on
- 2. Use today's scan and make your way to the ANALYSIS page
- 3. On the ANALYSIS page, click V TEST EXTERNAL




When you click V –TEST EXTERNAL you will see a text box come up on screen In the text box, type in the name of the supplement and the number

cium 600mg			~
Edit	Clear	OK	Cancel

Once you type in the name of the supplement, KNOW THAT AS SOON AS YOU CLICK OK A SCAN WILL BEGIN. Therefore, make sure the headset is worn on the person being tested and the supplement is in the cup.

If the supplement bottle recommends for 2 tablets every day, place the recommended dose in the cup.

A scan will begin immediately after clicking OK on the text box and during the few moments of the scan you should see the name of the supplement tested at the bottom of the screen.




MAMMARY GLAND, HEAD AND NECK LYMPHATIC VESSELS: RIGHT - Calcium 600mg


When the test is completed, you will be taken to the LOCALIZE page from where you will need to click on the photo of the graph to get back to the ANALYSIS page OR directly from the LOCALIZE page, click COMPARATIVE ANALYSIS to see the result.



From the ANALYSIS page OR LOCALIZE page click COMPARATIVE ANALYSIS



COMPARATIVE ANALYSIS page will show the results of the external Vegeto test, IF you come to the COMPARATIVE ANALYSIS PAGE directly after the test.



If you are testing a **NATURAL** supplement, even 1% STRENGTHENING reaction is a great result.


If you are testing a NON-NATURAL supplement, the supplement is worth taking only if the STRENGTHENING reaction is above 15%

If a NATURAL supplement is WEAKENING the organ, it is likely because of the ingredients. Do not be surprised to see a WEAKENING reaction on NATURA supplements.

DO NOT test remedies made with the Biophilia system. Remedies made with the software are not recognized in the cup because they are non-concentrated.

DESCRIPTIONS


On the ANALYSIS page, if you are unsure of what an item is, there may be a description for the item in the list. Click on the item you are unsure about to highlight it and then click on the ETALON DESCRIPTION button




There may not be descriptions for each and every item but this could be helpful if you are unable to do research online.

ENTROPY ANALYSIS

ENTROPY ANALYSIS - SEVERITY of found illness




ENTROPY ANALYSIS button is designed to be used along with the PATHOLOGY ETALON. You will see that the ENTROPY ANALYSIS button will be greyed out (unavailable) unless PATHOLOGY is selected.



When you have PATHOLOGY selected, highlight the illness at the top of the list and click ENTROPY ANALYSIS. You will see this page:

ENTROPY ANALYSIS PAGE



The purpose of this page is to visually show how severity of the pathology is corroborated. The Graph represents the movement of the pathology with time and the systems represented by the letters above are systems which can be affected by the pathology.

What we are really looking for on this page is the number or rating we receive after leaving the page. The **BLUE** and **RED** lines on the graph represent Hypotension and Hypertension of the organ frequencies. When blue is above the red line, that indicates the health concerns are not chronic. When you see red line above the blue there is an indication of a chronic problem.

117

Once we exit this page, we will receive a severity rating. Severity scale is described as follows;

When you **EXIT** the **ENTROPY ANALYSIS** page, you will see a number next to the illness you had highlighted for this process:

The possible numbers you will see and their descriptions are below:

1 to 2 – No disease development, you don't need to care it

3 to 5 – There may be a potential risk, you should start paying attention to the risk of this disease

6 – There is a risk of disease and you need to take preventive measures in time

7 – The disease has a high risk of happening or has already happened, you need to go to the hospital for further testing, and take targeted prevention and treatment at the same time

MAMMARY GLAND, HEAD AND NECK LYMPHATIC VESSELS: RIGHT 1.011 OPTIMUM DISTRIBUTION Virtual model X O 0.418 MONONUCLEOSIS 0.770 SCLERODERMA 0.853 LYMPHADENITIS LIPOMA OF THE MAMMARY GLAND 1.401 HIDRADENITIS 1.896 MASTOPATHY LIPOGRANULOMA OF THE MAMMARY GLAND MALIGNANT NEOPLASM 2,319 MASTALGIA 2.357 METASTATIC TUMORS INTRADUCT PAPILLOMA OF THE MAMMARY GLAND 3.592 MASTITIS 3.911 ADENOCARCINOMA OF MAMMARY GLAND 4.357 4.614 SOLID CANCER OF THE MAMMARY GLAND FIBROADENOMA OF THE MAMMARY GLAND

Note: Please check the Items with D value under 0.425

The best way to get the numbers for all pathology listed in the ETALON is to click AUTO SCAN

AUTO SCAN will place numbers next to each pathology in the list with the click of 1 button and eliminate you having to get the value for one pathology at a time


0	0.000	MAMMARY GLAND, HEAD AND NECK LYMPHATIC VESSELS: RIGHT
0	1.011	OPTIMUM DISTRIBUTION
K 0		Virtual model
0	7 0.418	MONONUCLEOSIS
0	7 0.676	LYMPHANGITIS
0	4 0.770	SCLERODERMA
0	2 0.853	LYMPHADENITIS
0	5 0.904	LIPOMA OF THE MAMMARY GLAND
0	3 1.401	HIDRADENITIS
0	2 1.896	MASTOPATHY
0	2 1.911	LIPOGRANULOMA OF THE MAMMARY GLAND
0	2 2.132	MALIGNANT NEOPLASM
0	1 2.319	MASTALGIA
0	7 2.357	METASTATIC TUMORS
0	1 3.519	INTRADUCT PAPILLOMA OF THE MAMMARY GLAND
0	1 3.592	MASTITIS
0	3.911	ADENOCARCINOMA OF MAMMARY GLAND
0	1 4.357	CLEAR CELL CANCER OF THE MAMMARY GLAND
0	1 4.614	SOLID CANCER OF THE MAMMARY GLAND
0	1 5,478	FIBROADENOMA OF THE MAMMARY GLAND

If using ENTROPY ANALYSIS, do not take this information to be more important than the coefficients themselves. Coefficients are most reliable way to know whether the problem is present. Combined with Vegeto tests, Coefficients should always be considered first.

NLS ANALYSIS

NLS ANALYSIS is similar to the ENTROPY ANALYSIS process but used on the BIOCHEMICAL HOMEOSTASIS ETALON, and the numbers next to the items in the list have a completely different meaning.


You can see that ENTROPY ANALYSIS is greyed out. BIOCHEMICAL HOMEOSTASIS is selected.



NLS ANALYSIS will give us values to show whether a BIOCHEMICAL is NORMAL, whether there is a DEFICIENCY of the BIOCHEMICAL OR if there is an EXCESS (too much) of a BIOCHEMICAL.

To get an individual value click on the item in the list you want to evaluate and then click NLS – ANALYSIS

When you click on NLS-ANALYSIS, you will be taken to the NLS-ANALYSIS page



When you exit you will see a numerical value next to the item on the ANALYSIS page

0	0.000	MAMMARY GLAND, HEAD AND NECK LYMPHATIC VESSELS: RIGHT	
0	1.011	OPTIMUM DISTRIBUTION	
× °		Virtual model	
0	4 0.202	11 - PLASMA OXYCORTICOSTEROIDS	
0	0.530	PARATHORMONE*	
0	0.558	NEUTRAL FATS OF PLASMA	
0	0.581	BLOOD UREA	
0	0.623	SERUM URIC ACID	
0	0.669	BETA GLOBULIN*	
0	0.671	VITAMIN E (TOCOPHEROL)*	
0	0.675	TOTAL IRON BINDING CAPACITY (TIBC)*	
0	0.678	NONETHERIZED FATTY ACIDS OF PLASMA	
0	0.693	VITAMIN D3*	
0	0.700	VITAMIN A (RETINOL)*	
0	0.737	SERUM TRIGLYCERIDES	
0	0.740	SERUM CREATININE	
0	0.740	ANGIOTENSIN I*	
0	0.750	PERIPHERIC BLOOD RETICULOCYTES	
0	0.750	FREE PLASMA CHOLESTERIN	
0	0.754	PROSTATE SPECIFIC ANTIGEN (PSA)	
0	0.762	SERUM HYDROCORTISONE	
0	0.800	FOLLICLE-STIMULATING HORMONE*	
0	0.801	THYRITROPIC HORMONE	
0	0.802	NITROGEN OF AMINOACIDS IN SERUM	
0	0.83	VITAMIN B1 (THIAMINE)*	
0	0.844	PLASMA PHOSPHOTIDES	


Note: Please check the Items with D value under 0.425

You can utilize the same AUTO SCAN button to get all the numbers next to the items in the BIOCHEMICAL HOMEOSTASIS ETALON all at once

Number 4 represents a NORMAL balance of the BIOCHEMICAL


Numbers below 4 represent a DEFICIENCY of the BIOCHEMICAL

Numbers above 4 represent an EXCESS of the BIOCHEMICAL




AUTO MODEL


AUTO MODEL provides a value of priority. The way that ENTROPY ANALYSIS provides a list of top severity by giving us numbers, AUTO MODEL provides a list of which items in the list are the priority above others. AUTO MODEL should only be used for pathology and microorganisms. To begin, select the pathology ETALON. You will see that the AUTO MODEL button is greyed out until you click on the top item in the list:



AUTO MODEL is only used if you are analyzing all the organs by hand rather than allowing the software to create a report for you. Therefore, you must follow the steps to **MANUAL ANALYSIS** which include clicking on **ADJUST ALL** and running **V-TEST INTERNAL**. I have done this in the example:



When you click AUTO MODEL, you will see numbers and/or an infinity sign appear next to the pathology in the list. The infinity sign demonstrates the highest priority and the number 1, the lowest.



The possible numbers you can see are:

Infinity sign $_{\bullet}$, $_{\circ}$, 9, 8, 7, 6, 5, 4, 3, 2, 1

The higher the number, the more of a priority that pathology is.

0	0.000	BLOOD CELLS	
0	0.951	OPTIMUM DISTRIBUTION	
X 0	0.195	Virtual model	
• oo	0.205	ANAEMIA # D	
• 1	0.242	MONONUCLEOSIS	
• œ	0.270	HEMOLYTIC ANEMIA	
0	0.330	IRON DEFICIENCY ANEMIA	
0	0.362	PERNICIOUS ANEMIA	
0	0.428	IRON DEFICIENCY ANEMIA	
0	0.433	THALASSEMIA	
0	0.439	APLASTIC ANEMIA	
0	0.454	HYPERLIPIDEMIA	

Part of the reason AUTO MODEL is not discussed much in videos is because for the sake of time, users of Biophilia must focus on the most important features. In this example, without the use of AUTO MODEL, we already know that IRON DEFICIENCY ANEMIA is the top priority because it is at the top of the list with the lowest coefficient. If you see a high coefficient with an indication of priority from AUTO MODEL you cannot ignore the lower coefficients based on AUTO MODEL tells you.

Coefficients and V-TEST INTERNAL should always take precedence in your analysis process.

AUTO MODEL, ENTROPY ANALYSIS, and other features are secondary.


INSTRUCTIONS FOR AUTOMATIC REPORT BUILDING

When the FULL BODY scan is complete, exit back to the CARD INDEX page by clicking

CARD INDEX




Once you are back on the CARD INDEX page, click VIEW RESULTS




On the VIEW RESULTS page, click VIEW RESULT button




When you get to the VIEW RESULT page, it will be blank. Click ADVANCED




On the ADVANCED notes page, click Advanced Report



The scanned items will be shown in the second box, if you come to this page and the second box is blank, this means no items were scanned on this calendar day and you must go back to complete a scan before coming here to make a report.



Before you do anything else, make sure that you uncheck ALL ETALON choices
BESIDES MICROOROGAISMS AND PATHOLOGY




When software is installed new, other ETALON options will be checked, please uncheck them and leave only the MICROOROGANISMS and PATHOLOGY ETALON check marked.

You should have to do this only once.

ETALONS will be explained further along in your study.

Once you have ONLY MICROORGANISMS and PATHOLOGY selected, click CHECK ALL ORGANS





By clicking on CHECK ALL ORGANS you will see a check mark placed next to each scanned item in the list.

This will ensure that the data selected is from all the items scanned and not only some.

Once this is done, click SCAN

When click on **SCAN**, the software will begin collecting data from the scanned organs/tissues


Another important aspect of this page is the DISPERSION level and SCAN ALL ETALON




When making reports for the purpose of creating a treatment plan, make sure the SCAN ALL ETALON is left UNCHECKED and the DISPERSION level stays at 0.400.

DISPERSION level – This is the coefficient boundary which will be added to the notes. Which means the coefficients of problems found above 0.400 will NOT be added to the notes. This is important because only the problems below 0.500 and even lower (which is why 0.400 is programmed there), represent immediate concerns in the organs/tissues.


SCAN ALL ETALON – This is the same as the SHOW ALL button on the ANALYSIS page. SHOW ALL should never be used on microorganism and pathology ETALONS. If making reports using other ETALONS in the list, this is okay.



You will see a loading process of information collection when you click SCAN



When this process is complete, you will see the 3rd out of 4 boxes filled.



When this process is complete, you will see the 3rd out of 4 boxes filled.

✓ Scan All Etalon DISPERS	TON				
		Uncheck	Check All	T D:-	d Fire
☐ Group Preparat by S 0.	4 Scan	All Organ	Organs	To Print	Clear Epicrisis

When you click **TO PRINT**, a similar loading process will take place which loads the results and findings to all the note options available.


Prepare scheme research...

52

Abort

2375 (2511)


When this process is complete, the 4th and final box will be filled which indicates the completion of the report build up




Click **EXIT** to go back to the **ADVANCED** page



On the ADVANCED page, first CLICK REFRESH to expand the notes




You will see the notes expanded




CREATING TREATMENT PROTOCOL

Now that the report is created, there are multiple note options available for viewing. **REPORT 1** will indicate which body system is under the most stress, cellular level frequency imbalance and should be the priority.

In order to identify the system of priority, find the system with the largest list of problems listed





Sort by Topic

A Sort by Organ

Clear Sort

X EXIT

Refresh

Report 1


Report 2


Report 3

In this example, the **DIGESTIVE SYSTEM** has the largest list of found problems. Pathology and microorganisms included. Therefore, the **DIGESTIVE** system is the priority and should be treated.

In most cases, we see that the digestive system is the system of priority. Gut health and digestive health in general is crucial to overall positive health outcomes and we have seen in 20 years of experience how digestive health can affect people. For one person a digestive imbalance may manifest in a skin disease (for example) and in another person, digestive health imbalance may manifest in an endocrine disease or, heart complications, chemical imbalances, etc. When we prioritize to rid the body of digestive parasites, viruses, bacteria, candida, etc. we see many other systems balance out and improve across the board. Parasites specifically, eat up nutrients and even people who have a great and healthy diet may suffer from anemia and other problems due to parasites.

After 6 weeks or so, the coefficients of each found problem will begin to rise.





Microorganisms often cause many imbalances in the body so if there are any microorganisms in the notes, those should be addressed in the DIGESTIVE SYSTEM therapies.

Over time, the coefficient (H. Pylori 0.178 for example) should rise until it is completely gone. Coefficients above 0.500 are not as crucial to address as the ones below

02 DIGESTIVE SYSTEM
C # PATHOLOGY
CATARRHAL GASTRITIS D=0.128
CHOLESTATIC HEPATOTOXICITY D=0.387
ENTERITIS D=0.393
EROSIVE GASTRITIS D=0.094
GASTRITIS # G D=0.400
OSTEOPOROSIS D=0.306
E # MICROORGANISMS AND HELMINTHS

HELICOBACTER PYLORI D=0.178 LACTOBACILLUS ACIDOPHILUS D=0.194

The other piece of information, and more importantly are the OD of organs. Later you will learn that OD represent the CELLULAR LEVEL FUNCTION of organs/tissues. While COEFFICIENTS represent each found problem. The OD number, if lower than 1.200 represents a problem on the cellular level of an organ while the shapes only tell us about the outward energy levels (which can change with stress, food, drinks, etc.). After 6 weeks of therapy on the system indicated in notes, you should see the OD of organs rise above 1.200 which then indicates good health.

OD are shown on the CARD INDEX page. You can see the digestive organs with low OD COEFFICIENTS are found in notes and on the ANALYSIS page

After 6 weeks of therapy they will begin to balance and rise in number which is how progress is tracked. OD will rise as well as COEFFICIENTS of individual problems found.



Now that you have the report made and a focus (the system with the largest list of problems) you can move forward to a treatment protocol.

Before we move on to therapies, it is important that you save the initial report to your computer so you have something to compare later on and a reference of where you began in your health journey with Biophilia Tracker.

SAVING REPORTS

On the NOTES page, there are 3 report options which we consistently use.

Sort by Organ

Clear Sort

REPORT 1: Shows found problems in specific body systems

REPORT 2: Shows found problems in the specific organs where the problems exist

REPORT 3: Almost identical to REPORT 2 but the coefficients are highlighted for ease of identifying.

On the **ADVANCED** page, there are other report options which will be developed in the future, please contact us for details.



Report 2

Report 3

EXIT

Refresh

Please focus on using REPORTS 1, 2 and 3 as well as a few others which will discussed below:

REPORT 1

Summary Report

2022/10/20

LAST NAME: FIRST NAME: MIDDLE NAME: Y AGE:


RACHIS, left lateral view

DNA RNA


SET OF MALE CHROMOSOMES A) SIMULAR PROCESSES C # PATHOLOGY ANGINA PECTORIS D=0.326 ATROPHIC GASTRITIS D=0.221 ATROPHIC HYPERPLASTIC GASTRITIS D=0.271 CHRONIC NONCOMPLICADED GASTRIC ULCER D=0.058 DIFFUSE GOITRE D=0.101 EROSIVE GASTRITIS D=0.261 GASTRITIS #G D=0.223 PENETRANT GASTRIC ULCER D=0.301 STOMACH ULCER DISEASE # G D=0.059 E # MICROORGANISMS AND HELMINTHS ASCARIS LUMBRICOIDES D=0.374 CANDIDA ALBICANS D=0.034 DIENTAMOEBA FRAGILIS D=0.068 HELICOBACTER PYLORI D=0.113 PSEUDOMONAS AERUGINOSA D=0.196 ROTAVIRUS D=0.151 11 ULTRA MICRO SCAN

HISTAMINE A) SIMULAR PROCESSES C # PATHOLOGY ABSCESS OF THE LUNG D=0.268 ACNE D=0.277 ACUTE BRONCHITIS D=0.146 ACUTE CATARRHAL CHOLECYSTITIS D=0.235 ACUTE PYELONEPHRITIS D=0.376 ADAMS-STOKES SYNDROME D=0.337 ADENOIDS D=0.342 ADENOMA OF THE LARYNX D=0.399 ADIPOSOGENITAL DYSTROPHY D=0.313 AGRANULOCYTOSIS D=0.365 ALCOHOL-INDUCED HEPATIC CIRRHOSIS D=0.388 ALLERGIC DERMATITIS D=0.315 ALLERGIC VASCULITIS D=0.189 ALLERGY D=0.190 ANAEMIA # D D=0.303 ANAPLASMOSIS D=0.134 AORTIC INSUFFICIENCY D=0.240 AORTIC STENOSIS D=0.260 ARRYTHMIA OF THE HEART D=0.224

REPORT 1 lists all the found problems under the body system which they were found in. This report shows coefficients of each individual problem found. You may add your own hand typed notes to REPORT 1 by typing in the box either on the **NOTES Page** or the **ADVANCED Page**:




You can click anywhere in the box and type additional notes: Do NOT REFRESH after typing in additional notes.



E # MICROORGANISMS AND HELMINTHS
ASCARIS LUMBRICOIDES D=0.374
CANDIDA ALBICANS D=0.034
DIENTAMOEBA FRAGILIS D=0.068
HELICOBACTER PYLORI D=0.113
PSEUDOMONAS AERUGINOSA D=0.196
ROTAVIRUS D=0.151
Biophilia Tracker Training Manual


TO SAVE REPORT 1: Open up REPORT 1 by clicking on REPORT 1



In the top left corner, you will see options. Click on the "disk icon"



When you click on the disk icon, select the options which says "PDF FILE...". You will see this box come up on screen:




Do not make any changes here, click OK

The next and final step to rename the file and save it to the desired space in your computer.


REPORT 2

Report 2 lists the found pathology and microorganisms found in the various organs and tissues scanned. This REPORT provides details about which problems were found where. Compared to REPORT 1 which only lists systems and found problems, REPORT 2 shows specifically in which organs the problems were found.



REPORT 3

Report 3 is very similar to Report 1. There is more visual information and coefficients of each found problem are highlighted.




Both report 2 and 3 can be saved by clicking on the top left "disk" icon.



When you click on the blue disk icon, select the option "PDF File..."

Do not make any changes here, click OK


The next and final step to rename the file and save it to the desired space in your computer.




ADVANCED NOTES REPORT

This report is found on the ADVANCED page. It can be saved by RIGHT CLICKING anywhere on the notes.


When you RIGHT CLICK, a button called "PREVIEW" will come on the screen, click on PREVIEW. This section can be checked for a description of the problem found.



The report will open up and look like this:



What is great about this Advanced Report is that it is condensed and shows where the individual problems were found.




The pathology and microorganisms are separated to show which is which.

Next (from left to right) is the name of the microorganism or pathology

After that is the name of the organ where the pathology/microorganism was found (it is very condensed so not the entire name of the organ is seen). For example: In the red box, toward the bottom where the microorganisms are listed, you can see **H. Pylori** is found in the "STOMACH ESOP" which means STOMACH ESOPHAGUS TRANSITION TISSUE which is seen in the preview of the notes on the ADVANCED page.




To save these notes, in the top left, click FILE, then EXPORT TO PDF




OD REPORT

OD reports are great to give to people without a liability concern because they show what was done without the mention of diagnosed disease:



If you right click anywhere on the organs scanned, a PREVIEW button will show up, click on PREVIEW. This report can also be saved by clicking on **FILE**, **EXPORT TO PDF**.



REMEDY PREPARATION

On the ANALYSIS page, you have the option of creating remedies for specific found problems, the organs themselves or utilizing any other ETALON in the list.

THE PROCESS OF REMEDY PREPARATION

Remedies should be made in a glass dropper bottle



The dropper bottles can be any color as long as they are glass. Before imprinting the remedy, take off the plastic top and only have water or water with a drop of alcohol in the bottle.

A remedy in water alone will last a week

A remedy with a drop of alcohol will last a month


REMEDIES can be made for any found problem, for an organ (to help balance frequencies) or using already created homeopathic remedies. In the **ETALONS** section of the manual, we talked about **POSITIVE** and **NEGATIVE** ETALONS. This is where that information should be implemented.

For example: If you find a pathology which is confirmed to be a problem for the person, you can create a remedy to target this pathology and push it out of the body. This is done by inverting frequencies and therefore balancing.


IF a ETALON is NEGATIVE it must be **INVERTED**If a ETALON Is POSITIVE, it does not have to be **INVERTED**

Pathology is a **NEGATIVE ETALON** therefore; it should be inverted when used to make a remedy. You **DO NOT** want to give more of a sick frequency to any person or yourself therefore think through this process with each **ETALON** and ask clarifying questions when needed.

1. On the **ANALYSIS** page, find the pathology or microorganism for which you would like to make a remedy. Click on the name of the problem and then **REPRINTER**



On the **REPRINTER** page, you should see the same item name at the bottom of the page, this confirms that you are working with the correct item



Name of pathology selected for remedy

INVERT – Clicking invert will flip the frequency to balance the problem and change it from NEGATIVE to POSITIVE

START PREPARATION – Clicking START PREPARATION will begin the imprinting process

159

STOP PREPARATION – Clicking STOP PREPARATION will stop the imprinting process

MATRIX – MATRIX are the available items on which remedies can be imprinted. WATER and ALCOHOL (alcohol refers to a drop of alcohol in the water not the entire bottle full of alcohol).


SUGAR refers to sugar pills (not recommended for remedies of parasites)

PARAFFIN refers to saturated hydrocarbons used in SPA's

2. Before creating the remedy, remember to INVERT the frequency by clicking INVERT

BEFORE INVERTING

you to invert when needed. It will not know whether the ETALON you are using needs INVERTING so that is up to you to do correctly.



WATER

ALCOHOL


SUGAR

PARAFFIN

AFTER INVERTING

Notice the RED and BLUE lines on the graph are swapped after INVERTING.


This is what you want when you are making a remedy for a negative ETALON or an INDIVIDUAL ORGAN.



3. When INVERTED, have the glass dropper bottle in the Biophilia cup.



4. Click **START PREPARATION** (Make sure that the Headset is covered or on someone's head at all times when the system is turned on). This is not important for the **REPRINTER** steps but for the safety and preservation of the headset. People tend to forget about the headset when making remedies.



When you click START PREPARATION the remedy will go through an imprinting cycle. To make the remedy most potent, click START PREPARATION 5 times to allow the software to go through the imprinting cycle 5 times and make the most potent remedy.


You can follow the same steps when creating a remedy of any kind.

REMEMBER THAT POSITIVE ETALONS DO NOT NEED TO BE INVERTED

To make a remedy for an INDIVIDUAL organ, do NOT select any ETALON. Have the ETALON list CLEAR and click on REPRINTER (assuming that you are on the ANALYSIS page with the organ you want to make a remedy for). ORGAN REMEDIES NEED TO BE INVERTED!

You should see the name of the organ rather than a ETALON item at the bottom of the REPRINTER page, this is how you can confirm you are making a remedy for the organ or a selected ETALON. REMEDIES made using the SAME ETALON lists can be combined in one bottle. This means if you want to make remedies for up to 5 MICROROGANISMS, PATHOLGY, ETC. You can put up to 5 in one bottle but still needing to imprint one at a time following the steps on previous pages.

Example: You have the **PATHOLOGY ETALON** selected and you have 5 items in the list with low coefficients and confirmed as weakening with a **V – TEST INTERNAL**. You can make a remedy for all 5 in one dropper bottle but following the steps for **REPRINTER** one at a time.




It is important that you make remedies **ONLY** for confirmed problems which would be in your report (if making automatic report) or if tested with **V-TEST INTERNAL** by hand.

AURA

The AURA page is in the software for information purpses only. When looking into the AURA please ake sure that you are using a scan of the CHAKRAS.


To correct the AURA, you may give therapies to the CHAKRAS.

On the next page you will see the original AURA page and ifnormation regarding each chakra and what imbalances in those chakras mean for the body in terms of specific organ disfunction.



Because Biophilia allows you to scan each individual organ and know exactly what is found to cause imbalances, having meridians and chakras for analysis does not present any better or more details information than the scans themselves.

However, using meridians in the RESEARCH page and treating the AURA is helpful to recovery and overall health outcomes so we encourage the use of AURA for therapy and visual representation of energy.



PRINT – Opens a preview page before printing the visual indentations of the Aura

LITE AURA – allows to switch the Aura view

PRINT TO FILE – Automatically prints Aura image


(+/-) - Allows for changing font size

 Turns the Aura so the indentations marked in pink can be viewed and show affected areas.


Each chakra comes with explanations and the image will show indentation in the oval to highlight the affected areas. There is nothing to be done on this page except for printing, reading information and looking at affected areas in the Aura photo.

If you have a different view on the Aura page, you can switch back to the original view (which is shown in the photo above).

If your Aura page looks like this, you may switch back to the original view by checking the box which says, "SwtchToOpenGL"





When you place the check mark there, exit software to allow this setting to reset and when you open again you will see the original view of the Aura page:




SwitchToOpenGL

And you can check these 7 Etalons for the Aura:








LOCALIZE PAGE

The LOCALIZE page is the IN BETWEEN page when you follow the MANUAL ANALYSIS steps.



LOCALIZE - Localize is a process which allows you to run an additional scan on a localized part of the entire organ/tissue scan.

EVALUATE – Once isolated for localization (see steps on next page), EVALUATE initiates a scan of the area localized.

META-THERAPY – This **META-THERAPY** button takes you to the **META-THERAPY** page which allows for therapy of only the organ selected. Since there is an option on the RESEARCH page to run therapies to all organs at the same time, this is not often used for therapies.

COMPARATIVE ANALYSIS – Takes you to the COMPARATIVE ANALYSIS page


TEST – Takes you to the ANALYSIS page (so does clicking on the image of the graph).

EXIT – Takes you to the CARD INDEX page.

TEXT – The small TEXT check box brings up small + signs which are descriptions of the organ scanned. 'Please see the "text" silent video on the training page to see this in

action.

Place your mouse over the green + signs to see what this does.



LOCALIZE PROCESS


When on the LOCALIZE page, click on the word LOCALIZE and you will see a small circle come on up on the image of the organ. Move the circle to the lowest energy level shape on the scanned photo. LOCALIZE is only helpful when the organ energy levels are consistent all around the image except in one or two places. This will help to figure out if the area with the

only low energy level has any different information then the overall tissue scan. In most cases the LOCALIZE scan will not have any new information but there are


cases in which this is helpful and needed.

Make sure the headset is worn before clicking EVALUATE

Once the circle has been set over the area you want to localize, click **EVALUATE** and a scan will begin.




When the scan is complete, you will see a green outline around the circle which was previously colorless. If you click directly on the circle you will see the outline change to black.



When the outline is **GREEN** and you move forward to the **ANALYSIS** page to analyze this scan, the information in **ETALONS** will be relevant only to the **LOCALIZED** area.

When the outline is **BLACK** and you move forward to the **ANALYSIS** page to analyze this scan, the information in **ETALONS** will be relevant to the **ENTIRE** organ.




You may change between **BLACK** and **GREEN** and see the **ANALYSIS** page to locate any changes between the two. Once **LOCALIZE** is done, the original scan will change to "L" on the **CARD INDEX** page and no longer have an "S".

OTHER THERAPIES IN Biophilia SOFTWARE


Although Meta-Therapy is the main therapy in the system, most effective therapy and SHOULD BE most used, there are other optional therapies which can be implemented in your treatment protocols. These additional therapies are found under the **ETALON** list in the **ANALYSIS** page

PHYTOTHERAPY: A plant-based therapy with therapeutic plant frequencies.




To use this therapy, pay attention to the lowest coefficients in the list, the ones with lower coefficients then 0.500 are the absolute best and all other will be helpful as well. You DO NOT need to V-TEST INTERNAL therapy ETALONS.

To use the therapy, select the plant you want to use and click on the photo of the plant. You will be taken to the Meta-Therapy page where you can give therapy on the selected organ with the plant you selected.




You can select up to 5 therapies to give the organ using the plant frequency. You can do as many of these as you like and have time for.

LITHOTHERAPY: A therapeutic stone frequency list. Follow the same steps as for PHYTOTHERAPY but select the LITHOTHERAPY ETALON in the ANALYSIS page



PHYSIOTHERAPY: Physiotherapy is unlike other therapies; it is up to the user to select and use. Each organ or tissue will have a selected number of physiotherapy options. These options are based on the organ or tissue and will have either a few options for therapy or many.


Select PHYSIOTHERAPY in the ETALONS list. Look through the therapy options, read their descriptions and you may even click SHOW ALL to pull up the entire list.



Read through the descriptions, select the therapy which describes the symptoms you are working to address with the system therapies. You may also address other symptoms and diseases with this therapy. You **DO NOT** have to select **PHYSIOTHERAPY** therapies based on coefficients.




Click on the photo




PHYSIOTHERAPY is a newer therapy in the software and will be added to and developed


READING AND UNDERSTANDING THE GRAPH



The graphs of organs are a great tool for understanding where the root causes in those organs are located and coming from.

What we are looking for in the graph is any place where the RED line is above the BLUE





RED – Represents the HYPERFUNCTION of the organ/tissue

BLUE - Represents the HYPOFUNCTION of the organ/tissue

Organs and tissues with a **HYPER** function problem are harder to treat because those typically represent chronic health imbalances. Whereas the **HYPO** function problems are easier to treat and bring to balance.

In this example, we are looking at a graph of the NERVE BUNDLE scan. We see that the RED line is above the BLUE line with the largest gap at 4.9

This means that the problems in the NERVE BUNDLE tissue is coming from the Digestion, reproductive system.

- 1.8 SKELETAL SYSTEM (Skeleton, bones, etc.)
- 2.6 CONNECTIVE TISSUES, NERVES, CARDIAC VALVES, LOOSE CONNECTIVE TISSUE, STRIATED MUSCULAR, AND CARDIAC MUSCLE; (Nerves, cardiovascular system and connective tissues)
- 3.4 UNSTRIATED MUSCULAR TISSUE. (Muscles)
- 4.2 TESSELLATED EPITHELIUM OF THE DIGESTIVE TRACT; (Digestive system)
- 4.9 STRATIFIES SQUAMOUS AND COLUMNAR EPITHELIA. PARENCHYMATOUS LIVER TISSUE AND TISSUE OF THE BILIARY TRACT, KIDNEY TISSUE EPITHELIUM AND REPRODUCTIVE ORGANS; (Digestion, reproductive system)
- **5.8** LYMPHOID RING OF THE PHARYNX, UPPER SECTION OF THE RESPIRATORY TRACT, LYMPHATIC SYSTEM, SPLEEN, OVARIES, AND PROSTRATE; (Lymphatic and urogenital systems)
- **6.6 PERIPHERAL NERVOUS SYSTEM, BRONCHUS EPITHELIUM, ADRENALS, AND THYROID;** (Nervous and endocrine systems)
- 7.4 CENTRAL SECTIONS OF SENSORY ANALYSERS EXCEPT THE OPTIC ONES, AND SUB CORTICAL STRUCTURES OF THE BRAIN, PONS CEREBELLI; CEREBELLUM, LIMBIC SYSTEM AND LUNGS PARENCHYMA; (Sensory and nervous systems)
- 8.2 RETINA, OPTIC NERVE, CEREBRAL CORTEX. (Sensory system)

If the system has what sounds like a lot of random things, follow the hints in red to know which systems to investigate more. Look at the OD's of the organs in the systems listed. Graphs are for investigating possible root causes.

SAVING DATABASE

Anytime there is a new software update you should save your current Biophilia database in order to not lose all the scan files. To save the database follow the steps below:

1. RIGHT CLICK on the Biophilia icon on your desktop



- 2. When you RIGHT CLICK, you will see a drop down menu, select "PROPERTIES"
- 3. Next, click OPEN FILE LOCATION



4. You will be brought to this page, scroll all the way up until you see this BASEDAT folder. There may be many BASEDAT folders, look for the one without any dates after the name BASEDAT.

RIGHT CLICK on the BASEEDAT folder and COPY the file.



5. Once you have **COPIED** the **BASEDAT** folder, close all the open windows and anywhere on your desktop **RIGHT CLICK** and **PASTE** the **BASEDAT** folder.

When the **BASEDAT** folder is **POSTED** on your desktop, you will see the folder like this:




When you see the BASEDAT folder on your desktop, you may proceed to installing software update.

PLACING SAVED DATABASE INTO NEW SOFTWARE

Open the Biophilia software by double clicking on the software icon on your desktop computer.




On the opening page of the software, click CUSTOMIZE then ADMINISTRATOR




ADMINISTRATOR PAGE


On the ADMINISTRATOR page, click **STORAGE DATA**, you will see another page come up on screen.





Click **SELECT LOADING LOCATION** to choose the folder which you want to save the backup data.



When you click **OK**, you should see the folder on the right side:







STORAGE ALL> <LOADING ALL STORAGE ONE LOADING ONE SETTING STORAGE LOCATION SELECT LOADING LOCATION

You can click STOTAGE ALL > to save all the backup data to the selected folder

You can click < LOADING ALL to import all the backup data from the selected folder to your software

You can click **STOTAGE ONE** > to save one card to the selected folder

You can click < **LOADING ONE** to import one card from the selected folder to your software



---THANK YOU---

